

【2017年】

<遺伝、染色体異常、先天奇形>

Baynam G., Bowman F., Lister K., Walker C. E., Pachter N., Goldblatt J., Boycott K. M., Gahl W. A., Kosaki K., Adachi T., Ishii K., Mahede T., McKenzie F., Townshend S., Slee J., Kiraly-Borri C., Vasudevan A., Hawkins A., Broley S., Schofield L., Verhoef H., Groza T., Zankl A., Robinson P. N., Haendel M., Brudno M., Mattick J. S., Dinger M. E., Roscioli T., Cowley M. J., Olry A., Hanauer M., Alkuraya F. S., Taruscio D., Posada de la Paz M., Lochmuller H., Bushby K., Thompson R., Hedley V., Lasko P., Mina K., Beilby J., Tift C., Davis M., Laing N. G., Julkowska D., Le Cam Y., Terry S. F., Kaufmann P., Eerola I., Norstedt I., Rath A., Suematsu M., Groft S. C., Austin C. P., Draghia-Akli R., Weeramanthri T. S., Molster C., Dawkins H. J. S. Improved Diagnosis and Care for Rare Diseases through Implementation of Precision Public Health Framework. *Adv Exp Med Biol* 2017; 103155-94. <doi:10.1007/978-3-319-67144-4_4>.

<https://www.ncbi.nlm.nih.gov/pubmed/29214566>

Baynam G., Broley S., Bauskis A., Pachter N., McKenzie F., Townshend S., Slee J., Kiraly-Borri C., Vasudevan A., Hawkins A., Schofield L., Helmholtz P., Palmer R., Kung S., Walker C. E., Molster C., Lewis B., Mina K., Beilby J., Pathak G., Poulton C., Groza T., Zankl A., Roscioli T., Dinger M. E., Mattick J. S., Gahl W., Groft S., Tift C., Taruscio D., Lasko P., Kosaki K., Wilhelm H., Melegh B., Carapetis J., Jana S., Chaney G., Johns A., Owen P. W., Daly F., Weeramanthri T., Dawkins H., Goldblatt J. Initiating an undiagnosed diseases program in the Western Australian public health system. *Orphanet J Rare Dis* 2017; 12(1): 83. <doi:10.1186/s13023-017-0619-z>.

<https://www.ncbi.nlm.nih.gov/pubmed/28468665>

Enokizono T., Ohto T., Tanaka R., Tanaka M., Suzuki H., Sakai A., Imagawa K., Fukushima H., Iwabuti A., Fukushima T., Sumazaki R., Uehara T., Takenouchi T., Kosaki K. Preaxial polydactyly in an individual with Wiedemann-Steiner syndrome caused by a novel nonsense mutation in KMT2A. *Am J Med Genet A* 2017; 173(10): 2821-2825.

<doi:10.1002/ajmg.a.38405>.

<https://www.ncbi.nlm.nih.gov/pubmed/28815892>

Gabriele M., Vulto-van Silfhout A. T., Germain P. L., Vitriolo A., Kumar R., Douglas E., Haan E., Kosaki K., Takenouchi T., Rauch A., Steindl K., Frengen E., Misceo D., Pedurupillay C. R. J., Stromme P., Rosenfeld J. A., Shao Y., Craigen W. J., Schaaf C. P., Rodriguez-Buritica D., Farach L., Friedman J., Thulin P., McLean S. D., Nugent K. M.,

Morton J., Nicholl J., Andrieux J., Stray-Pedersen A., Chambon P., Patrier S., Lynch S. A., Kjaergaard S., Topping P. M., Brasch-Andersen C., Ronan A., van Haeringen A., Anderson P. J., Powis Z., Brunner H. G., Pfundt R., Schuurs-Hoeijmakers J. H. M., van Bon B. W. M., Lelieveld S., Gilissen C., Nillesen W. M., Vissers Lelm, Gez J., Koolen D. A., Testa G., de Vries B. B. A. YY1 Haploinsufficiency Causes an Intellectual Disability Syndrome Featuring Transcriptional and Chromatin Dysfunction. *Am J Hum Genet* 2017; 100(6): 907–925. <doi:10.1016/j.ajhg.2017.05.006>.

<https://www.ncbi.nlm.nih.gov/pubmed/28575647>

Hamada N., Negishi Y., Mizuno M., Miya F., Hattori A., Okamoto N., Kato M., Tsunoda T., Yamasaki M., Kanemura Y., Kosaki K., Tabata H., Saitoh S., Nagata K. I. Role of a heterotrimeric G-protein, Gi2, in the corticogenesis: possible involvement in periventricular nodular heterotopia and intellectual disability. *J Neurochem* 2017; 140(1): 82–95. <doi:10.1111/jnc.13878>.

<https://www.ncbi.nlm.nih.gov/pubmed/27787898>

Hasegawa D., Ochiai-Shino H., Onodera S., Nakamura T., Saito A., Onda T., Watanabe K., Nishimura K., Ohtaka M., Nakanishi M., Kosaki K., Yamaguchi A., Shibahara T., Azuma T. Gorlin syndrome-derived induced pluripotent stem cells are hypersensitive to hedgehog-mediated osteogenic induction. *PLoS One* 2017; 12(10): e0186879. <doi:10.1371/journal.pone.0186879>.

<https://www.ncbi.nlm.nih.gov/pubmed/29088246>

Hori I., Otomo T., Nakashima M., Miya F., Negishi Y., Shiraishi H., Nonoda Y., Magara S., Tohyama J., Okamoto N., Kumagai T., Shimoda K., Yukitake Y., Kajikawa D., Morio T., Hattori A., Nakagawa M., Ando N., Nishino I., Kato M., Tsunoda T., Saito H., Kanemura Y., Yamasaki M., Kosaki K., Matsumoto N., Yoshimori T., Saitoh S. Defects in autophagosome-lysosome fusion underlie Vici syndrome, a neurodevelopmental disorder with multisystem involvement. *Sci Rep* 2017; 7(1): 3552. <doi:10.1038/s41598-017-02840-8>.

<https://www.ncbi.nlm.nih.gov/pubmed/28615637>

Kagami M., Nagasaki K., Kosaki R., Horikawa R., Naiki Y., Saitoh S., Tajima T., Yorifuji T., Numakura C., Mizuno S., Nakamura A., Matsubara K., Fukami M., Ogata T. Temple syndrome: comprehensive molecular and clinical findings in 32 Japanese patients. *Genet Med* 2017; 19(12): 1356–1366. <doi:10.1038/gim.2017.53>.

<https://www.ncbi.nlm.nih.gov/pubmed/28640239>

Kato K., Miya F., Hori I., Ieda D., Ohashi K., Negishi Y., Hattori A., Okamoto N., Kato M., Tsunoda T., Yamasaki M., Kanemura Y., Kosaki K., Saitoh S. A novel missense mutation in the HECT domain of NEDD4L identified in a girl with periventricular nodular heterotopia, polymicrogyria and cleft palate. *J Hum Genet* 2017; 62(9): 861–863. <doi:10.1038/jhg.2017.53>.

<https://www.ncbi.nlm.nih.gov/pubmed/28515470>

Kimiya T., Sekiguchi S., Yagihashi T., Arai M., Takahashi H., Takahashi T. Sedation protocol with fasting and shorter sleep leads to magnetic resonance imaging success. *Pediatr Int* 2017; 59(10): 1087–1090. <doi:10.1111/ped.13371>.

<https://www.ncbi.nlm.nih.gov/pubmed/28731591>

Kimura M., Fujisawa T., Aizawa Y., Matsushashi N., Ito S., Nakajima K., Kashimura S., Kunitomi A., Katsumata Y., Nishiyama T., Kimura T., Nishiyama N., Yuasa S., Takatsuki S., Kosaki K., Fukuda K. An RyR2 mutation found in a family with a short-coupled variant of torsade de pointes. *Int J Cardiol* 2017; 227367–369. <doi:10.1016/j.ijcard.2016.11.052>.

<https://www.ncbi.nlm.nih.gov/pubmed/27839804>

Kimura M., Kohno T., Aizawa Y., Inohara T., Shiraishi Y., Katsumata Y., Egashira T., Fukushima H., Kosaki K., Fukuda K. A Novel SCN5A Mutation Found in a Familial Case of Long QT Syndrome Complicated by Severe Left Ventricular Dysfunction. *Can J Cardiol* 2017; 33(4): 554 e555–554 e557. <doi:10.1016/j.cjca.2016.10.010>.

<https://www.ncbi.nlm.nih.gov/pubmed/28011106>

Kimura M., Tamura Y., Guignabert C., Takei M., Kosaki K., Tanabe N., Tatsumi K., Saji T., Satoh T., Kataoka M., Kamitsuji S., Kamatani N., Thuillet R., Tu L., Humbert M., Fukuda K., Sano M. A genome-wide association analysis identifies PDE1A|DNAJC10 locus on chromosome 2 associated with idiopathic pulmonary arterial hypertension in a Japanese population. *Oncotarget* 2017; 8(43): 74917–74926. <doi:10.18632/oncotarget.20459>.

<https://www.ncbi.nlm.nih.gov/pubmed/29088834>

Kosaki R., Terashima H., Kubota M., Kosaki K. Acute myeloid leukemia-associated DNMT3A p.Arg882His mutation in a patient with Tatton–Brown–Rahman overgrowth syndrome as a constitutional mutation. *Am J Med Genet A* 2017; 173(1): 250–253. <doi:10.1002/ajmg.a.37995>.

<https://www.ncbi.nlm.nih.gov/pubmed/27991732>

Minatogawa M., Takenouchi T., Tsuyusaki Y., Iwasaki F., Uehara T., Kurosawa K., Kosaki K., Curry C. J. Expansion of the phenotype of Kosaki overgrowth syndrome. *Am J Med Genet A* 2017; 173(9): 2422–2427. <doi:10.1002/ajmg.a.38310>.

<https://www.ncbi.nlm.nih.gov/pubmed/28639748>

Mutai H., Watabe T., Kosaki K., Ogawa K., Matsunaga T. Mitochondrial mutations in maternally inherited hearing loss. *BMC Med Genet* 2017; 18(1): 32. <doi:10.1186/s12881-017-0389-4>.

<https://www.ncbi.nlm.nih.gov/pubmed/28320335>

Negishi Y., Miya F., Hattori A., Johmura Y., Nakagawa M., Ando N., Hori I., Togawa T., Aoyama K., Ohashi K., Fukumura S., Mizuno S., Umemura A., Kishimoto Y., Okamoto N., Kato M., Tsunoda T., Yamasaki M., Kanemura Y., Kosaki K., Nakanishi M., Saitoh S. A combination of genetic and biochemical analyses for the diagnosis of PI3K–AKT–mTOR pathway–associated megalencephaly. *BMC Med Genet* 2017; 18(1): 4. <doi:10.1186/s12881-016-0363-6>.

<https://www.ncbi.nlm.nih.gov/pubmed/28086757>

Ohto T., Enokizono T., Tanaka R., Tanaka M., Suzuki H., Sakai A., Imagawa K., Fukushima H., Fukushima T., Sumazaki R., Uehara T., Takenouchi T., Kosaki K. A novel BBS10 mutation identified in a patient with Bardet–Biedl syndrome with a violent emotional outbreak. *Hum Genome Var* 2017; 417033. <doi:10.1038/hgv.2017.33>.

<https://www.ncbi.nlm.nih.gov/pubmed/28808579>

Okamoto N., Miya F., Hatsukawa Y., Suzuki Y., Kawato K., Yamamoto Y., Tsunoda T., Kato M., Saitoh S., Yamasaki M., Kanemura Y., Kosaki K. Siblings with optic neuropathy and RTN4IP1 mutation. *J Hum Genet* 2017; 62(10): 927–929. <doi:10.1038/jhg.2017.68>.

<https://www.ncbi.nlm.nih.gov/pubmed/28638143>

Okamoto N., Miya F., Tsunoda T., Kato M., Saitoh S., Yamasaki M., Kanemura Y., Kosaki K. Novel MCA/ID syndrome with ASH1L mutation. *Am J Med Genet A* 2017; 173(6): 1644–1648. <doi:10.1002/ajmg.a.38193>.

<https://www.ncbi.nlm.nih.gov/pubmed/28394464>

Okamoto N., Tsuchiya Y., Miya F., Tsunoda T., Yamashita K., Boroevich K. A., Kato M., Saitoh S., Yamasaki M., Kanemura Y., Kosaki K., Kitagawa D. A novel genetic syndrome with STARD9 mutation and abnormal spindle morphology. *Am J Med Genet A* 2017; 173(10): 2690–2696. <doi:10.1002/ajmg.a.38391>.

<https://www.ncbi.nlm.nih.gov/pubmed/28777490>

Okuno H., Nakabayashi K., Abe K., Ando T., Sanosaka T., Kohyama J., Akamatsu W., Ohyama M., Takahashi T., Kosaki K., Okano H. Changeability of the fully methylated status of the 15q11.2 region in induced pluripotent stem cells derived from a patient with Prader–Willi syndrome. *Congenit Anom (Kyoto)* 2017; 57(4): 96–103. <doi:10.1111/cga.12206>.

<https://www.ncbi.nlm.nih.gov/pubmed/28004416>

Okuno H., Renault Mihara F., Ohta S., Fukuda K., Kurosawa K., Akamatsu W., Sanosaka T., Kohyama J., Hayashi K., Nakajima K., Takahashi T., Wysocka J., Kosaki K., Okano H. CHARGE syndrome modeling using patient–iPSCs reveals defective migration of neural crest cells harboring CHD7 mutations. *Elife* 2017; 6. <doi:10.7554/eLife.21114>.

<https://www.ncbi.nlm.nih.gov/pubmed/29179815>

Sakaguchi Y., Takenouchi T., Uehara T., Kishi K., Takahashi T., Kosaki K. Co-occurrence of Sturge–Weber syndrome and Klippel–Trenaunay–Weber syndrome phenotype: Consideration of the historical aspect. *Am J Med Genet A* 2017; 173(10): 2831–2833. <doi:10.1002/ajmg.a.38363>.

<https://www.ncbi.nlm.nih.gov/pubmed/28782176>

Sakaguchi Y., Uehara T., Suzuki H., Kosaki K., Takenouchi T. Truncating mutation in CSNK2B and myoclonic epilepsy. *Hum Mutat* 2017; 38(11): 1611–1612. <doi:10.1002/humu.23307>.

<https://www.ncbi.nlm.nih.gov/pubmed/28762608>

Sakiyama T., Umegaki–Arao N., Sasaki T., Kosaki K., Amagai M., Kubo A. Case of dominant dystrophic epidermolysis bullosa with amniotic band syndrome. *J Dermatol* 2017; 44(1): 102–103. <doi:10.1111/1346–8138.13449>.

<https://www.ncbi.nlm.nih.gov/pubmed/27130450>

Sato–Kawano N., Takemoto M., Okabe E., Yokote K., Matsuo M., Kosaki R., Ihara K. The clinical characteristics of Asian patients with classical–type Hutchinson–Gilford progeria

syndrome. *J Hum Genet* 2017; 62(12): 1031–1035. <doi:10.1038/jhg.2017.90>.

<https://www.ncbi.nlm.nih.gov/pubmed/28878338>

Takahashi K., Sasaki A., Wada S., Wada Y., Tsukamoto K., Kosaki R., Ito Y., Sago H. The outcomes of 31 cases of trisomy 13 diagnosed in utero with various management options. *Am J Med Genet A* 2017; 173(4): 966–971. <doi:10.1002/ajmg.a.38132>.

<https://www.ncbi.nlm.nih.gov/pubmed/28266126>

Takenouchi T., Kuchikata T., Yoshihashi H., Fujiwara M., Uehara T., Miyama S., Yamada S., Kosaki K. Diagnostic use of computational retrotransposon detection: Successful definition of pathogenetic mechanism in a ciliopathy phenotype. *Am J Med Genet A* 2017; 173(5): 1353–1357. <doi:10.1002/ajmg.a.38167>.

<https://www.ncbi.nlm.nih.gov/pubmed/28374938>

Takenouchi T., Miwa T., Sakamoto Y., Sakaguchi Y., Uehara T., Takahashi T., Kosaki K. Further evidence that a blepharophimosis syndrome phenotype is associated with a specific class of mutation in the ADNP gene. *Am J Med Genet A* 2017; 173(6): 1631–1634. <doi:10.1002/ajmg.a.38126>.

<https://www.ncbi.nlm.nih.gov/pubmed/28407407>

<栄養障害、代謝性疾患、消化器疾患>

None.

<血液疾患、腫瘍>

Aoki T., Koh K., Arakawa Y., Mori M., Oguma E., Hanada R. Reversible Cerebral Vasoconstriction Syndrome during Chemotherapy for Acute Lymphoblastic Leukemia. *J Pediatr* 2017; 180:284. <doi:10.1016/j.jpeds.2016.09.045>.

<https://www.ncbi.nlm.nih.gov/pubmed/27769550>

Daida A., Yoshihara H., Inai I., Hasegawa D., Ishida Y., Urayama K. Y., Manabe A. Risk Factors for Hospital-acquired Clostridium difficile Infection Among Pediatric Patients With Cancer. *J Pediatr Hematol Oncol* 2017; 39(3): e167–e172. <doi:10.1097/MPH.0000000000000742>.

<https://www.ncbi.nlm.nih.gov/pubmed/28002256>

Fujii T., Hanabusa H., Shima M., Morinaga T., Fukutake K. Analysis of the Japanese

subgroup in LEOPOLD II: a phase 2/3 study of BAY 81-8973, a new recombinant factor VIII product. *Int J Hematol* 2017; 105(3): 280-286. <doi:10.1007/s12185-016-2133-9>.

<https://www.ncbi.nlm.nih.gov/pubmed/27832514>

Giangrande P., Andreeva T., Chowdary P., Ehrenforth S., Hanabusa H., Leebeek F. W., Lentz S. R., Nemes L., Poulsen L. H., Santagostino E., You C. W., Clausen W. H., Jonsson P. G., Oldenburg J., Pathfinder Investigators. Clinical evaluation of glycoPEGylated recombinant FVIII: Efficacy and safety in severe haemophilia A. *Thromb Haemost* 2017; 117(2): 252-261. <doi:10.1160/TH16-06-0444>.

<https://www.ncbi.nlm.nih.gov/pubmed/27904904>

Hara Y., Shiba N., Ohki K., Tabuchi K., Yamato G., Park M. J., Tomizawa D., Kinoshita A., Shimada A., Arakawa H., Saito A. M., Kiyokawa N., Tawa A., Horibe K., Taga T., Adachi S., Taki T., Hayashi Y. Prognostic impact of specific molecular profiles in pediatric acute megakaryoblastic leukemia in non-Down syndrome. *Genes Chromosomes Cancer* 2017; 56(5): 394-404. <doi:10.1002/gcc.22444>.

<https://www.ncbi.nlm.nih.gov/pubmed/28063190>

Hirabayashi S., Ohki K., Nakabayashi K., Ichikawa H., Momozawa Y., Okamura K., Yaguchi A., Terada K., Saito Y., Yoshimi A., Ogata-Kawata H., Sakamoto H., Kato M., Fujimura J., Hino M., Kinoshita A., Kakuda H., Kurosawa H., Kato K., Kajiwara R., Moriwaki K., Morimoto T., Nakamura K., Noguchi Y., Osumi T., Sakashita K., Takita J., Yuza Y., Matsuda K., Yoshida T., Matsumoto K., Hata K., Kubo M., Matsubara Y., Fukushima T., Koh K., Manabe A., Ohara A., Kiyokawa N., Tokyo Children's Cancer Study Group. ZNF384-related fusion genes define a subgroup of childhood B-cell precursor acute lymphoblastic leukemia with a characteristic immunotype. *Haematologica* 2017; 102(1): 118-129. <doi:10.3324/haematol.2016.151035>.

<https://www.ncbi.nlm.nih.gov/pubmed/27634205>

Hishiki T., Watanabe K., Ida K., Hoshino K., Iehara T., Aoki Y., Kazama T., Kihira K., Takama Y., Taguchi T., Fujimura J., Honda S., Matsumoto K., Mori M., Yano M., Yokoi A., Tanaka Y., Fuji H., Miyazaki O., Yoshimura K., Takimoto T., Hiyama E. The role of pulmonary metastasectomy for hepatoblastoma in children with metastasis at diagnosis: Results from the JPLT-2 study. *J Pediatr Surg* 2017; 52(12): 2051-2055. <doi:10.1016/j.jpedsurg.2017.08.031>.

<https://www.ncbi.nlm.nih.gov/pubmed/28927977>

Inoue O., Kuji N., Ito H., Yamada M., Hamatani T., Oyadomari A., Kato S., Hanabusa H., Isaka K., Tanaka M. Clinical efficacy of a combination of Percoll continuous density gradient and swim-up techniques for semen processing in HIV-1 serodiscordant couples. *Asian J Androl* 2017; 19(2): 208–213. <doi:10.4103/1008-682X.173442>.

<https://www.ncbi.nlm.nih.gov/pubmed/26908065>

Ishiguro A., Ezinne C. C., Michihata N., Nakadate H., Manabe A., Taki M., Shima M. Pediatric thromboembolism: a national survey in Japan. *Int J Hematol* 2017; 105(1): 52–58. <doi:10.1007/s12185-016-2079-y>.

<https://www.ncbi.nlm.nih.gov/pubmed/27539155>

Kato I., Nishinaka Y., Nakamura M., Akarca A. U., Niwa A., Ozawa H., Yoshida K., Mori M., Wang D., Morita M., Ueno H., Shiozawa Y., Shiraishi Y., Miyano S., Gupta R., Umeda K., Watanabe K., Koh K., Adachi S., Heike T., Saito M. K., Sanada M., Ogawa S., Marafioti T., Watanabe A., Nakahata T., Enver T. Hypoxic adaptation of leukemic cells infiltrating the CNS affords a therapeutic strategy targeting VEGFA. *Blood* 2017; 129(23): 3126–3129. <doi:10.1182/blood-2016-06-721712>.

<https://www.ncbi.nlm.nih.gov/pubmed/28424164>

Keino D., Kondoh K., Ohyama R., Morimoto M., Mori T., Ito M., Kinoshita A. Hypocellular acute myeloid leukemia treated with bone marrow transplantation. *Pediatr Int* 2017; 59(4): 490–493. <doi:10.1111/ped.13237>.

<https://www.ncbi.nlm.nih.gov/pubmed/28401745>

Kobayashi R., Mitsui T., Fujita N., Osumi T., Aoki T., Aoki K., Suzuki R., Fukuda T., Miyamoto T., Kato K., Nakamae H., Goto H., Eto T., Inoue M., Mori T., Terui K., Onizuka M., Koh K., Koga Y., Ichinohe T., Sawada A., Atsuta Y., Suzumiya J. Outcome differences between children and adolescents and young adults with non-Hodgkin lymphoma following stem cell transplantation. *Int J Hematol* 2017; 105(3): 369–376. <doi:10.1007/s12185-016-2120-1>.

<https://www.ncbi.nlm.nih.gov/pubmed/27787746>

Kobayashi R., Tanaka F., Nakazawa A., Ueyama J. I., Sunami S., Mitsui T., Koga Y., Mori T., Osumi T., Fukano R., Ohki K., Sekimizu M., Fujita N., Kamei M., Mori T., Lymphoma Committee, Japanese Pediatric Leukemia/Lymphoma Study Group. Pediatric follicular

lymphoma in Japan. *Int J Hematol* 2017; 105(6): 849–853. <doi:10.1007/s12185-017-2209-1>.

<https://www.ncbi.nlm.nih.gov/pubmed/28271414>

Kodama Y., Manabe A., Kawasaki H., Kato I., Kato K., Sato A., Matsumoto K., Kato M., Hiramatsu H., Sano H., Kaneko T., Oda M., Saito A. M., Adachi S., Horibe K., Mizutani S., Ishii E., Shimada H. Salvage therapy for children with relapsed or refractory Philadelphia chromosome-positive acute lymphoblastic leukemia. *Pediatr Blood Cancer* 2017; 64(8). <doi:10.1002/pbc.26423>.

<https://www.ncbi.nlm.nih.gov/pubmed/28084041>

Meunier S., Alamelu J., Ehrenforth S., Hanabusa H., Abdul Karim F., Kavakli K., Khodaie M., Staber J., Stasyshyn O., Yee D. L., Ragelienė L. Safety and efficacy of a glycoPEGylated rFVIII (turoctocog alpha pegol, N8-GP) in paediatric patients with severe haemophilia A. *Thromb Haemost* 2017; 117(9): 1705–1713. <doi:10.1160/TH17-03-0166>.

<https://www.ncbi.nlm.nih.gov/pubmed/28692108>

Nagao A., Hanabusa H. Brief Report: The Impact of Ledipasvir/Sofosbuvir on HIV-Positive and HIV-Negative Japanese Hemophilia Patients With 1, 4, and Mixed-Genotype HCV. *J Acquir Immune Defic Syndr* 2017; 74(4): 418–422. <doi:10.1097/QAI.0000000000001271>.

<https://www.ncbi.nlm.nih.gov/pubmed/27984558>

Nogami K., Shima M., Fukutake K., Fujii T., Taki M., Matsushita T., Higasa S., Sato T., Sakai M., Arai M., Uchikawa H., Engl W., Abbuehl B., Konkle B. A. Efficacy and safety of full-length pegylated recombinant factor VIII with extended half-life in previously treated patients with hemophilia A: comparison of data between the general and Japanese study populations. *Int J Hematol* 2017; 106(5): 704–710. <doi:10.1007/s12185-017-2265-6>.

<https://www.ncbi.nlm.nih.gov/pubmed/28550352>

Osumi T., Kato M., Ouchi-Uchiyama M., Tomizawa D., Kataoka K., Fujii Y., Seki M., Takita J., Ogawa S., Uchiyama T., Ohki K., Kiyokawa N. Blastic transformation of juvenile myelomonocytic leukemia caused by the copy number gain of oncogenic KRAS. *Pediatr Blood Cancer* 2017; 64(9). <doi:10.1002/pbc.26496>.

<https://www.ncbi.nlm.nih.gov/pubmed/28244637>

Osumi T., Tanaka F., Mori T., Fukano R., Tsurusawa M., Oshima K., Nakazawa A.,

Kobayashi R. Primary mediastinal large B-cell lymphoma in Japanese children and adolescents. *Int J Hematol* 2017; 105(4): 440–444. <doi:10.1007/s12185-016-2147-3>. <https://www.ncbi.nlm.nih.gov/pubmed/27858330>

Shima H., Isshiki K., Yamada Y., Yamazaki F., Takahashi T., Shimada H. Successful haploidentical BMT with post-transplant cyclophosphamide for refractory autoimmune pancytopenia after cord blood transplant in pediatric myelodysplastic syndrome. *Bone Marrow Transplant* 2017; 52(4): 653–655. <doi:10.1038/bmt.2016.341>. <https://www.ncbi.nlm.nih.gov/pubmed/28067878>

Shima H., Kiyokawa N., Miharu M., Tanizawa A., Kurosawa H., Watanabe A., Ito M., Tono C., Yuza Y., Muramatsu H., Hotta N., Okada M., Hamamoto K., Kajiwara R., Saito A. M., Horibe K., Mizutani S., Adachi S., Ishii E., Shimada H. Flow cytometric analysis as an additional predictive tool of treatment response in children with chronic-phase chronic myeloid leukemia treated with imatinib. *Pediatr Blood Cancer* 2017; 64(9). <doi:10.1002/pbc.26478>. <https://www.ncbi.nlm.nih.gov/pubmed/28233439>

Shima M., Hanabusa H., Taki M., Matsushita T., Sato T., Fukutake K., Kasai R., Yoneyama K., Yoshida H., Nogami K. Long-term safety and efficacy of emicizumab in a phase 1/2 study in patients with hemophilia A with or without inhibitors. *Blood Adv* 2017; 1(22): 1891–1899. <doi:10.1182/bloodadvances.2017006684>. <https://www.ncbi.nlm.nih.gov/pubmed/29296836>

Tsuchiya N., Hosono A., Yoshikawa T., Shoda K., Nosaka K., Shimomura M., Hara J., Nitani C., Manabe A., Yoshihara H., Hosoya Y., Kaneda H., Kinoshita Y., Kohashi K., Yoshimura K., Fujinami N., Saito K., Mizuno S., Nakatsura T. Phase I study of glypican-3-derived peptide vaccine therapy for patients with refractory pediatric solid tumors. *Oncoimmunology* 2017; 7(1): e1377872. <doi:10.1080/2162402X.2017.1377872>. <https://www.ncbi.nlm.nih.gov/pubmed/29296538>

Yamada Y., Osumi T., Imadome K. I., Takahashi E., Ohye T., Yoshikawa T., Tomizawa D., Kato M., Matsumoto K. Transmission of chromosomally integrated human herpesvirus 6 via cord blood transplantation. *Transpl Infect Dis* 2017; 19(1). <doi:10.1111/tid.12636>. <https://www.ncbi.nlm.nih.gov/pubmed/27859994>

Yamada Y., Shima H., Shibata H., Ishii T., Hasegawa T., Shimada H. Severe hypertriglyceridemia during treatment of acute lymphoblastic leukemia associated with type III hyperlipoproteinemia. *Pediatr Blood Cancer* 2017; 64(11). <doi:10.1002/pbc.26530>. <https://www.ncbi.nlm.nih.gov/pubmed/28371240>

Yamaguchi T., Itoh M., Umezawa Y., Asahina A., Hanabusa H., Nakagawa H. Acquired hemophilia A and fulminant diabetes mellitus possibly caused by adalimumab in a patient with psoriatic arthritis. *J Dermatol* 2017; 44(3): e3–e4. <doi:10.1111/1346-8138.13468>. <https://www.ncbi.nlm.nih.gov/pubmed/27206322>

Yamashita A., Nagae C., Mori M., Ashikaga T., Kojima T., Taki M. First case report of hemophilia B Leyden in Japan. *Int J Hematol* 2017; 106(1): 135–137. <doi:10.1007/s12185-017-2194-4>. <https://www.ncbi.nlm.nih.gov/pubmed/28168417>

Yamato G., Shiba N., Yoshida K., Shiraishi Y., Hara Y., Ohki K., Okubo J., Okuno H., Chiba K., Tanaka H., Kinoshita A., Moritake H., Kiyokawa N., Tomizawa D., Park M. J., Sotomatsu M., Taga T., Adachi S., Tawa A., Horibe K., Arakawa H., Miyano S., Ogawa S., Hayashi Y. ASXL2 mutations are frequently found in pediatric AML patients with t(8;21)/RUNX1–RUNX1T1 and associated with a better prognosis. *Genes Chromosomes Cancer* 2017; 56(5): 382–393. <doi:10.1002/gcc.22443>. <https://www.ncbi.nlm.nih.gov/pubmed/28063196>

Yoshihara H., Kumamoto T., Ono R., Akahane K., Nozaki T., Kobayashi S., Kikuta A., Matsumoto S., Hasegawa D., Ogawa C., Manabe A. Haploidentical hematopoietic cell transplantation for disseminated Ewing sarcoma. *Pediatr Int* 2017; 59(2): 223–226. <doi:10.1111/ped.13195>. <https://www.ncbi.nlm.nih.gov/pubmed/28026886>

Yoshihara H., Yoshimoto Y., Hosoya Y., Hasegawa D., Kawano T., Sakoda A., Okita H., Manabe A. Infantile fibrosarcoma treated with postoperative vincristine and dactinomycin. *Pediatr Int* 2017; 59(3): 371–374. <doi:10.1111/ped.13229>. <https://www.ncbi.nlm.nih.gov/pubmed/28317309>

<呼吸器疾患、アレルギー>

Akashi M., Sato S. Food Protein-Induced Enterocolitis Syndrome in Response to Quail's Egg

in a Child Without Hen's Egg Allergy. *J Investig Allergol Clin Immunol* 2017; 27(6): 381–382. <doi:10.18176/jiaci.0190>.

<https://www.ncbi.nlm.nih.gov/pubmed/29199963>

Akashi M., Yasudo H., Narita M., Nomura I., Akasawa A., Ebisawa M., Takahashi T., Ohya Y. Randomized controlled trial of oral immunotherapy for egg allergy in Japanese patients. *Pediatr Int* 2017; 59(5): 534–539. <doi:10.1111/ped.13210>.

<https://www.ncbi.nlm.nih.gov/pubmed/27914210>

Morita H., Suzuki H., Orihara K., Motomura K., Matsuda A., Ohya Y., Saito H., Nomura I., Matsumoto K. Food protein-induced enterocolitis syndromes with and without bloody stool have distinct clinicopathologic features. *J Allergy Clin Immunol* 2017; 140(6): 1718–1721 e1716. <doi:10.1016/j.jaci.2017.06.002>.

<https://www.ncbi.nlm.nih.gov/pubmed/28629750>

Nishimura T., Tamizu E., Uno S., Uwamino Y., Fujiwara H., Nishio K., Nakano Y., Shiono H., Namkoong H., Hoshino Y., Iwata S., Hasegawa N. hsa-miR-346 is a potential serum biomarker of Mycobacterium avium complex pulmonary disease activity. *J Infect Chemother* 2017; 23(10): 703–708. <doi:10.1016/j.jiac.2017.07.015>.

<https://www.ncbi.nlm.nih.gov/pubmed/28827075>

Ochiai D., Miyakoshi K., Koinuma G., Matsumoto T., Tanaka M. Prenatal sonographic images of left pulmonary artery sling. *Eur J Obstet Gynecol Reprod Biol* 2017; 211:217–218. <doi:10.1016/j.ejogrb.2016.12.026>.

<https://www.ncbi.nlm.nih.gov/pubmed/28065576>

Ohno M., Fuchimoto Y., Hsu H. C., Higuchi M., Komura M., Yamaoka T., Umezawa A., Enosawa S., Kuroda T. Airway reconstruction using decellularized tracheal allografts in a porcine model. *Pediatr Surg Int* 2017; 33(10): 1065–1071. <doi:10.1007/s00383-017-4138-8>.

<https://www.ncbi.nlm.nih.gov/pubmed/28819688>

Sakata H., Kuroki H., Ouchi K., Tajima T., Iwata S. Pediatric community-acquired pneumonia treated with a three-day course of tebipenem pivoxil. *Journal of Infection and Chemotherapy* 2017; 23(5): 307–311. <doi:10.1016/j.jiac.2017.01.009>.

<https://dx.doi.org/10.1016/j.jiac.2017.01.009>

Toyama S., Okada N., Matsuda A., Morita H., Saito H., Fujisawa T., Nakae S., Karasuyama H., Matsumoto K. Human eosinophils constitutively express a unique serine protease, PRSS33. *Allergol Int* 2017; 66(3): 463-471. <doi:10.1016/j.alit.2017.01.001>.

<https://www.ncbi.nlm.nih.gov/pubmed/28216055>

Yoshida K., Adachi Y., Sasaki M., Akashi M., Itazawa T., Ohya Y., Odajima H., Akasawa A. Ultraviolet index is associated with childhood eczema prevalence: Sex and age differences. *Pediatr Allergy Immunol* 2017; 28(4): 391-393. <doi:10.1111/pai.12706>.

<https://www.ncbi.nlm.nih.gov/pubmed/28211092>

<循環器疾患>

Kawai M., Miyairi I., Ono H., Miyazaki O., Ishiguro A. Mycotic Aneurysm of Ductal Arteriosus in a Previously Healthy Infant. *Indian J Pediatr* 2017; 84(6): 492-493. <doi:10.1007/s12098-017-2331-3>.

<https://www.ncbi.nlm.nih.gov/pubmed/28299541>

<新生児疾患>

Tsuda K., Mukai T., Iwata S., Shibasaki J., Tokuhisa T., Ioroi T., Sano H., Yutaka N., Takahashi A., Takeuchi A., Takenouchi T., Araki Y., Sobajima H., Tamura M., Hosono S., Nabetani M., Iwata O., Baby Cooling Registry of Japan Collaboration Team. Therapeutic hypothermia for neonatal encephalopathy: a report from the first 3 years of the Baby Cooling Registry of Japan. *Sci Rep* 2017; 739508. <doi:10.1038/srep39508>.

<https://www.ncbi.nlm.nih.gov/pubmed/28051172>

<神経・筋疾患、心身症>

Ehara Y., Yamamoto O., Kosaki K., Yoshida Y. Clinical severity in Japanese patients with neurofibromatosis 1 based on DNB classification. *J Dermatol* 2017; 44(11): 1262-1267. <doi:10.1111/1346-8138.13902>.

<https://www.ncbi.nlm.nih.gov/pubmed/29098729>

Gabriele M., Vulto-van Silfhout A. T., Germain P. L., Vitriolo A., Kumar R., Douglas E., Haan E., Kosaki K., Takenouchi T., Rauch A., Steindl K., Frengen E., Misceo D., Pedurupillay C. R. J., Stromme P., Rosenfeld J. A., Shao Y., Craigen W. J., Schaaf C. P., Rodriguez-Buritica D., Farach L., Friedman J., Thulin P., McLean S. D., Nugent K. M., Morton J., Nicholl J., Andrieux J., Stray-Pedersen A., Chambon P., Patrier S., Lynch S. A.,

Kjaergaard S., Topping P. M., Brasch-Andersen C., Ronan A., van Haeringen A., Anderson P. J., Powis Z., Brunner H. G., Pfundt R., Schuurs-Hoeijmakers J. H. M., van Bon B. W. M., Lelieveld S., Gilissen C., Nillesen W. M., Vissers Lelm, Gecz J., Koolen D. A., Testa G., de Vries B. B. A. YY1 Haploinsufficiency Causes an Intellectual Disability Syndrome Featuring Transcriptional and Chromatin Dysfunction. *Am J Hum Genet* 2017; 100(6): 907–925. <doi:10.1016/j.ajhg.2017.05.006>.

<https://www.ncbi.nlm.nih.gov/pubmed/28575647>

Kajita H., Sakamoto Y., Takenouchi T., Miwa T., Takahashi T. Is that cranial deformity really due to sleeping position? *Pediatr Int* 2017; 59(4): 494–496. <doi:10.1111/ped.13216>.

<https://www.ncbi.nlm.nih.gov/pubmed/28244616>

Kimiya T., Sekiguchi S., Yagihashi T., Arai M., Takahashi H., Takahashi T. Sedation protocol with fasting and shorter sleep leads to magnetic resonance imaging success. *Pediatr Int* 2017; 59(10): 1087–1090. <doi:10.1111/ped.13371>.

<https://www.ncbi.nlm.nih.gov/pubmed/28731591>

Ohto T., Enokizono T., Tanaka R., Tanaka M., Suzuki H., Sakai A., Imagawa K., Fukushima H., Fukushima T., Sumazaki R., Uehara T., Takenouchi T., Kosaki K. A novel BBS10 mutation identified in a patient with Bardet-Biedl syndrome with a violent emotional outbreak. *Hum Genome Var* 2017; 417033. <doi:10.1038/hgv.2017.33>.

<https://www.ncbi.nlm.nih.gov/pubmed/28808579>

Sakaguchi Y., Takenouchi T., Uehara T., Kishi K., Takahashi T., Kosaki K. Co-occurrence of Sturge-Weber syndrome and Klippel-Trenaunay-Weber syndrome phenotype: Consideration of the historical aspect. *Am J Med Genet A* 2017; 173(10): 2831–2833. <doi:10.1002/ajmg.a.38363>.

<https://www.ncbi.nlm.nih.gov/pubmed/28782176>

Sakaguchi Y., Uehara T., Suzuki H., Kosaki K., Takenouchi T. Truncating mutation in CSNK2B and myoclonic epilepsy. *Hum Mutat* 2017; 38(11): 1611–1612. <doi:10.1002/humu.23307>.

<https://www.ncbi.nlm.nih.gov/pubmed/28762608>

Takenouchi T., Kuchikata T., Yoshihashi H., Fujiwara M., Uehara T., Miyama S., Yamada S., Kosaki K. Diagnostic use of computational retrotransposon detection: Successful definition of

pathogenetic mechanism in a ciliopathy phenotype. *Am J Med Genet A* 2017; 173(5): 1353–1357. <doi:10.1002/ajmg.a.38167>.

<https://www.ncbi.nlm.nih.gov/pubmed/28374938>

Takenouchi T., Miwa T., Sakamoto Y., Sakaguchi Y., Uehara T., Takahashi T., Kosaki K. Further evidence that a blepharophimosis syndrome phenotype is associated with a specific class of mutation in the ADNP gene. *Am J Med Genet A* 2017; 173(6): 1631–1634. <doi:10.1002/ajmg.a.38126>.

<https://www.ncbi.nlm.nih.gov/pubmed/28407407>

Tsuda K., Mukai T., Iwata S., Shibasaki J., Tokuhisa T., Ioroi T., Sano H., Yutaka N., Takahashi A., Takeuchi A., Takenouchi T., Araki Y., Sobajima H., Tamura M., Hosono S., Nabetani M., Iwata O., Baby Cooling Registry of Japan Collaboration Team. Therapeutic hypothermia for neonatal encephalopathy: a report from the first 3 years of the Baby Cooling Registry of Japan. *Sci Rep* 2017; 739508. <doi:10.1038/srep39508>.

<https://www.ncbi.nlm.nih.gov/pubmed/28051172>

<腎・泌尿器疾患、生殖器疾患>

Asada N., Tsukahara T., Furuhata M., Matsuoka D., Noda S., Naganuma K., Hashiguchi A., Awazu M. Polycythemia, capillary rarefaction, and focal glomerulosclerosis in two adolescents born extremely low birth weight and premature. *Pediatr Nephrol* 2017; 32(7): 1275–1278. <doi:10.1007/s00467-017-3654-z>.

<https://www.ncbi.nlm.nih.gov/pubmed/28435991>

Awazu M., Arai M., Ohashi S., Takahashi H., Sekine T., Ikeda K. Tubular Dysfunction Mimicking Dent's Disease in 2 Infants Born with Extremely Low Birth Weight. *Case Rep Nephrol Dial* 2017; 7(1): 13–17. <doi:10.1159/000455828>.

<https://www.ncbi.nlm.nih.gov/pubmed/28203565>

Awazu M., Nagata M., Hida M. BMP7 dose-dependently stimulates proliferation and cadherin-11 expression via ERK and p38 in a murine metanephric mesenchymal cell line. *Physiol Rep* 2017; 5(16). <doi:10.14814/phy2.13378>.

<https://www.ncbi.nlm.nih.gov/pubmed/28867673>

Hamasaki Y., Komaki F., Ishikura K., Hamada R., Sakai T., Hataya H., Ogata K., Ando T., Honda M. Nephrotoxicity in children with frequently relapsing nephrotic syndrome receiving

long-term cyclosporine treatment. *Pediatr Nephrol* 2017; 32(8): 1383–1390.

<doi:10.1007/s00467-017-3641-4>.

<https://www.ncbi.nlm.nih.gov/pubmed/28378029>

Hayakawa I., Sakakibara H., Atsumi Y., Hataya H., Terakawa T. Tachycardia may prognosticate life- or organ-threatening diseases in children with abdominal pain. *Am J Emerg Med* 2017; 35(6): 819–822. <doi:10.1016/j.ajem.2017.01.032>.

<https://www.ncbi.nlm.nih.gov/pubmed/28148468>

Kamei K., Ishikura K., Sako M., Aya K., Tanaka R., Nozu K., Kaito H., Nakanishi K., Ohtomo Y., Miura K., Takahashi S., Morimoto T., Kubota W., Ito S., Nakamura H., Iijima K., Rituximab for Childhood-Onset Refractory Nephrotic Syndrome Study Group. Long-term outcome of childhood-onset complicated nephrotic syndrome after a multicenter, double-blind, randomized, placebo-controlled trial of rituximab. *Pediatr Nephrol* 2017; 32(11): 2071–2078. <doi:10.1007/s00467-017-3718-0>.

<https://www.ncbi.nlm.nih.gov/pubmed/28664242>

Kanazawa H., Fukuda A., Sato M., Ishimori S., Sasaki K., Uchida H., Shigeta T., Mali V. P., Sakamoto S., Ishikura K., Kasahara M. Successful resumption of peritoneal dialysis following living donor liver transplantation in children with end-stage renal disease. *Pediatr Transplant* 2017; 21(3). <doi:10.1111/petr.12897>.

<https://www.ncbi.nlm.nih.gov/pubmed/28213931>

Kikunaga K., Ishikura K., Terano C., Sato M., Komaki F., Hamasaki Y., Sasaki S., Iijima K., Yoshikawa N., Nakanishi K., Nakazato H., Matsuyama T., Ando T., Ito S., Honda M., Japanese Pediatric Survey Holding Information of NEphrotic syndrome study of the Japanese Study Group of Renal Disease in Children. High incidence of idiopathic nephrotic syndrome in East Asian children: a nationwide survey in Japan (JP-SHINE study). *Clin Exp Nephrol* 2017; 21(4): 651–657. <doi:10.1007/s10157-016-1319-z>.

<https://www.ncbi.nlm.nih.gov/pubmed/27590892>

Nakano M., Uemura O., Honda M., Ito T., Nakajima Y., Saitoh S. Development of tandem mass spectrometry-based creatinine measurement using dried blood spot for newborn mass screening. *Pediatr Res* 2017; 82(2): 237–243. <doi:10.1038/pr.2017.56>.

<https://www.ncbi.nlm.nih.gov/pubmed/28422942>

Nishimura N., Kasahara M., Ishikura K., Nakagawa S. Current status of pediatric transplantation in Japan. *J Intensive Care* 2017; 548. <doi:10.1186/s40560-017-0241-0>. <https://www.ncbi.nlm.nih.gov/pubmed/28729907>

Tominaga T., Sato T., Ichihashi Y., Amano N., Kobayashi Y., Awazu M. Transient Fanconi syndrome in two preterm infants with hydronephrosis and urinary tract infection. *CEN Case Rep* 2017; 6(1): 88-90. <doi:10.1007/s13730-017-0250-9>. <https://www.ncbi.nlm.nih.gov/pubmed/28509132>

Uemura O., Yokoyama H., Ishikura K., Gotoh Y., Sato H., Sugiyama H., Honda M., Matsuo S. Performance in adolescents of the two Japanese serum creatinine based estimated glomerular filtration rate equations, for adults and paediatric patients: A study of the Japan Renal Biopsy Registry and Japan Kidney Disease Registry from 2007 to 2013. *Nephrology (Carlton)* 2017; 22(6): 494-497. <doi:10.1111/nep.12982>. <https://www.ncbi.nlm.nih.gov/pubmed/28429520>

Yokota K., Nozu K., Minamikawa S., Yamamura T., Nakanishi K., Kaneda H., Hamada R., Nozu Y., Shono A., Ninchoji T., Morisada N., Ishimori S., Fujimura J., Horinouchi T., Kaito H., Nakanishi K., Morioka I., Taniguchi-Ikeda M., Iijima K. Female X-linked Alport syndrome with somatic mosaicism. *Clin Exp Nephrol* 2017; 21(5): 877-883. <doi:10.1007/s10157-016-1352-y>. <https://www.ncbi.nlm.nih.gov/pubmed/27796712>

Yoshikawa T., Kamei K., Nagata H., Saida K., Sato M., Ogura M., Ito S., Miyazaki O., Urushihara M., Kondo S., Sugawara N., Ishizuka K., Hamasaki Y., Shishido S., Morisada N., Iijima K., Nagata M., Yoshioka T., Ogata K., Ishikura K. Diversity of renal phenotypes in patients with WDR19 mutations: Two case reports. *Nephrology (Carlton)* 2017; 22(7): 566-571. <doi:10.1111/nep.12996>. <https://www.ncbi.nlm.nih.gov/pubmed/28621010>

<先天代謝異常、内分泌疾患>

Isojima T., Sakazume S., Hasegawa T., Ogata T., Nakanishi T., Nagai T., Yokoya S. Validation of auxological reference values for Japanese children with Noonan syndrome and comparison with growth in children with Turner syndrome. *Clin Pediatr Endocrinol* 2017; 26(3): 153-164. <doi:10.1297/cpe.26.153>. <https://www.ncbi.nlm.nih.gov/pubmed/28804206>

Itonaga T., Goto H., Toujigamori M., Ohno Y., Korematsu S., Izumi T., Narumi S., Hasegawa T., Ihara K. Three-Quarters Adrenalectomy for Infantile-Onset Cushing Syndrome due to Bilateral Adrenal Hyperplasia in McCune-Albright Syndrome. *Horm Res Paediatr* 2017; 88(3-4): 285-290. <doi:10.1159/000473878>.

<https://www.ncbi.nlm.nih.gov/pubmed/28528327>

Kizu R., Nishimura K., Sato R., Kosaki K., Tanaka T., Tanigawara Y., Hasegawa T. Population Pharmacokinetics of Diazoxide in Children with Hyperinsulinemic Hypoglycemia. *Horm Res Paediatr* 2017; 88(5): 316-323. <doi:10.1159/000478696>.

<https://www.ncbi.nlm.nih.gov/pubmed/28715810>

Kusano C., Takagi M., Hori N., Murotsuki J., Nishimura G., Hasegawa T. A novel mutation in the C-propeptide of COL2A1 causes atypical spondyloepiphyseal dysplasia congenita. *Hum Genome Var* 2017; 417003. <doi:10.1038/hgv.2017.3>.

<https://www.ncbi.nlm.nih.gov/pubmed/28265456>

Li J., Donangelo I., Abe K., Scremin O., Ke S., Li F., Milanesi A., Liu Y. Y., Brent G. A. Thyroid hormone treatment activates protective pathways in both in vivo and in vitro models of neuronal injury. *Mol Cell Endocrinol* 2017; 452120-130. <doi:10.1016/j.mce.2017.05.023>.

<https://www.ncbi.nlm.nih.gov/pubmed/28549992>

Nagasaki K., Kubota T., Kobayashi H., Sawada H., Numakura C., Harada S., Takasawa K., Minamitani K., Ishii T., Okada S., Kamasaki H., Sugihara S., Adachi M., Tajima T. Clinical characteristics of septo-optic dysplasia accompanied by congenital central hypothyroidism in Japan. *Clin Pediatr Endocrinol* 2017; 26(4): 207-213. <doi:10.1297/cpe.26.207>.

<https://www.ncbi.nlm.nih.gov/pubmed/29026269>

Narumi S., Fox L. A., Fukudome K., Sakaguchi Z., Sugisawa C., Abe K., Kameyama K., Hasegawa T. Mild thyroid peroxidase deficiency caused by TPO mutations with residual activity: Correlation between clinical phenotypes and enzymatic activity. *Endocr J* 2017; 64(11): 1087-1097. <doi:10.1507/endocrj.EJ17-0194>.

<https://www.ncbi.nlm.nih.gov/pubmed/28867693>

Ohtaka K., Fujisawa Y., Takada F., Hasegawa Y., Miyoshi T., Hasegawa T., Miyoshi H.,

Kameda H., Kurokawa-Seo M., Fukami M., Ogata T. FGFR1 Analyses in Four Patients with Hypogonadotropic Hypogonadism with Split-Hand/Foot Malformation: Implications for the Promoter Region. *Hum Mutat* 2017; 38(5): 503–506. <doi:10.1002/humu.23178>.

<https://www.ncbi.nlm.nih.gov/pubmed/28087897>

Sugisawa C., Higuchi S., Takagi M., Hasegawa Y., Taniyama M., Abe K., Hasegawa T., Narumi S. Homozygous DUOXA2 mutation (p.Tyr138(*)) in a girl with congenital hypothyroidism and her apparently unaffected brother: Case report and review of the literature. *Endocr J* 2017; 64(8): 807–812. <doi:10.1507/endocrj.EJ16-0564>.

<https://www.ncbi.nlm.nih.gov/pubmed/28626131>

Takagi M., Dobashi K., Nagahara K., Kato M., Nishimura G., Fukuzawa R., Narumi S., Hasegawa T. A novel de novo germline mutation Glu40Lys in AKT3 causes megalencephaly with growth hormone deficiency. *Am J Med Genet A* 2017; 173(4): 1071–1076. <doi:10.1002/ajmg.a.38099>.

<https://www.ncbi.nlm.nih.gov/pubmed/28190287>

Takagi M., Kamasaki H., Yagi H., Fukuzawa R., Narumi S., Hasegawa T. A novel heterozygous intronic mutation in POU1F1 is associated with combined pituitary hormone deficiency. *Endocr J* 2017; 64(2): 229–234. <doi:10.1507/endocrj.EJ16-0361>.

<https://www.ncbi.nlm.nih.gov/pubmed/27885216>

Takagi M., Yagi H., Fukuzawa R., Narumi S., Hasegawa T. Syndromic disorder of sex development due to a novel hemizygous mutation in the carboxyl-terminal domain of ATRX. *Hum Genome Var* 2017; 417012. <doi:10.1038/hgv.2017.12>.

<https://www.ncbi.nlm.nih.gov/pubmed/28446958>

Takeda R., Takagi M., Shinohara H., Futagawa H., Narumi S., Hasegawa T., Nishimura G., Yoshihashi H. Novel compound heterozygous mutations identified by whole exome sequencing in a Japanese patient with geroderma osteodysplastica. *Eur J Med Genet* 2017; 60(12): 635–638. <doi:10.1016/j.ejmg.2017.08.002>.

<https://www.ncbi.nlm.nih.gov/pubmed/28807865>

Tominaga T., Sato T., Ichihashi Y., Amano N., Kobayashi Y., Awazu M. Transient Fanconi syndrome in two preterm infants with hydronephrosis and urinary tract infection. *CEN Case Rep* 2017; 6(1): 88–90. <doi:10.1007/s13730-017-0250-9>.

<https://www.ncbi.nlm.nih.gov/pubmed/28509132>

Uchida N., Amano N., Yamaoka Y., Uematsu A., Sekine Y., Suzuki M., Watanabe J., Nishimoto K., Mukai K., Fukuzawa R., Hasegawa T., Ishii T. A Novel Case of Somatic KCNJ5 Mutation in Pediatric-Onset Aldosterone-Producing Adenoma. *J Endocr Soc* 2017; 1(8): 1056-1061. <doi:10.1210/js.2017-00210>.

<https://www.ncbi.nlm.nih.gov/pubmed/29264557>

Yamada M., Shibata H., Masugi Y., Ishi T., Kameyama K., Ebinuma H., Hasegawa T. Histological Changes in Autoimmune Hepatitis with Graves' Disease: A Child Case Report. *Intern Med* 2017; 56(16): 2139-2143. <doi:10.2169/internalmedicine.8417-16>.

<https://www.ncbi.nlm.nih.gov/pubmed/28781316>

Yamada Y., Shima H., Shibata H., Ishii T., Hasegawa T., Shimada H. Severe hypertriglyceridemia during treatment of acute lymphoblastic leukemia associated with type III hyperlipoproteinemia. *Pediatr Blood Cancer* 2017; 64(11). <doi:10.1002/pbc.26530>.

<https://www.ncbi.nlm.nih.gov/pubmed/28371240>

Yokoya S., Hasegawa T., Ozono K., Tanaka H., Kanzaki S., Tanaka T., Chihara K., Jia N., Child C. J., Ihara K., Funai J., Iwamoto N., Seino Y. Incidence of diabetes mellitus and neoplasia in Japanese short-statured children treated with growth hormone in the Genetics and Neuroendocrinology of Short Stature International Study (GeNeSIS). *Clin Pediatr Endocrinol* 2017; 26(4): 229-241. <doi:10.1297/cpe.26.229>.

<https://www.ncbi.nlm.nih.gov/pubmed/29026272>

Yorifuji T., Horikawa R., Hasegawa T., Adachi M., Soneda S., Minagawa M., Ida S., Yonekura T., Kinoshita Y., Kanamori Y., Kitagawa H., Shinkai M., Sasaki H., Nio M. Clinical practice guidelines for congenital hyperinsulinism. *Clin Pediatr Endocrinol* 2017; 26(3): 127-152. <doi:10.1297/cpe.26.127>.

<https://www.ncbi.nlm.nih.gov/pubmed/28804205>

<免疫異常、膠原病、リウマチ性疾患、感染症>

Chiba N., Murayama S. Y., Morozumi M., Iwata S., Ubukata K. Genome Evolution to Penicillin Resistance in Serotype 3 *Streptococcus pneumoniae* by Capsular Switching. *Antimicrob Agents Chemother* 2017; 61(9). <doi:10.1128/AAC.00478-17>.

<https://www.ncbi.nlm.nih.gov/pubmed/28630198>

Ebara Y., Morozumi M., Sato M., Moritoki N., Toyofuku M., Takata M., Murata M., Ubukata K., Iwata S. Enhancement of bactericidal activity against group B streptococci with reduced penicillin susceptibility by uptake of gentamicin into cells resulting from combination with β -lactam antibiotics. *Journal of Infection and Chemotherapy* 2017; 23(5): 312–318.

<doi:10.1016/j.jiac.2017.02.010>.

<https://dx.doi.org/10.1016/j.jiac.2017.02.010>

Iwata S., Murata S., Rong H. S., Wakana A., Sawata M., Tanaka Y. Safety and Immunogenicity of a 9-Valent Human Papillomavirus Vaccine Administered to 9- to 15-Year-Old Japanese Girls. *Japanese Journal of Infectious Diseases* 2017; 70(4): 368–373.

<doi:10.7883/yoken.jjid.2016.299>.

<https://dx.doi.org/10.7883/yoken.jjid.2016.299>

Japanese Association for Infectious Disease/Japanese Society of Chemotherapy, Committee Jaid Jsc Guide/Guidelines to Clinical Management of Infectious Disease Preparing, Urinary tract infection/male genital infection working group, Yamamoto S., Ishikawa K., Hayami H., Nakamura T., Miyairi I., Hoshino T., Hasui M., Tanaka K., Kiyota H., Arakawa S. JAID/JSC Guidelines for Clinical Management of Infectious Disease 2015 – Urinary tract infection/male genital infection. *J Infect Chemother* 2017; 23(11): 733–751.

<doi:10.1016/j.jiac.2017.02.002>.

<https://www.ncbi.nlm.nih.gov/pubmed/28923302>

Li S., Morita H., Ruckert B., Boonpiyathad T., Neumann A., Akdis C. A. Type 3 innate lymphoid cells induce proliferation of CD94(+) natural killer cells. *J Allergy Clin Immunol* 2017; 140(4): 1156–1159 e1157. <doi:10.1016/j.jaci.2017.03.033>.

<https://www.ncbi.nlm.nih.gov/pubmed/28433689>

Matsubara K., Hoshina K., Kondo M., Miyairi I., Yukitake Y., Ito Y., Minami K., Genkawa R. Group B streptococcal disease in infants in the first year of life: a nationwide surveillance study in Japan, 2011–2015. *Infection* 2017; 45(4): 449–458. <doi:10.1007/s15010-017-0995-2>.

<https://www.ncbi.nlm.nih.gov/pubmed/28236250>

Morita H., Nakae S., Saito H., Matsumoto K. IL-33 in clinical practice: Size matters? *J Allergy Clin Immunol* 2017; 140(2): 381–383. <doi:10.1016/j.jaci.2017.03.042>.

<https://www.ncbi.nlm.nih.gov/pubmed/28478050>

Morozumi M., Okada T., Tajima T., Ubukata K., Iwata S. Killing kinetics of minocycline, doxycycline and tosufloxacin against macrolide-resistant *Mycoplasma pneumoniae*. *Int J Antimicrob Agents* 2017; 50(2): 255–257. <doi:10.1016/j.ijantimicag.2017.02.027>.

<https://www.ncbi.nlm.nih.gov/pubmed/28579455>

Motomura K., Okada N., Morita H., Hara M., Tamari M., Orimo K., Matsuda G., Imadome K. I., Matsuda A., Nagamatsu T., Fujieda M., Sago H., Saito H., Matsumoto K. A Rho-associated coiled-coil containing kinases (ROCK) inhibitor, Y-27632, enhances adhesion, viability and differentiation of human term placenta-derived trophoblasts in vitro. *PLoS One* 2017; 12(5): e0177994. <doi:10.1371/journal.pone.0177994>.

<https://www.ncbi.nlm.nih.gov/pubmed/28542501>

Nishikawa-Nakamura N., Okada T., Nishimura K., Iwai T., Ubukata K., Iwata S., Iwai A. An infant with concurrent serotype 6C invasive pneumococcal disease and infectious mononucleosis. *J Infect Chemother* 2017; 23(11): 785–787.

<doi:10.1016/j.jiac.2017.06.007>.

<https://www.ncbi.nlm.nih.gov/pubmed/28729050>

Nozawa H., Shoji K., Uda K., Nakamura T., Kubota M., Ishiguro A., Miyairi I. Pertussis without apparent cough in a disabled girl with a tracheostomy. *J Infect Chemother* 2017; 23(11): 782–784. <doi:10.1016/j.jiac.2017.05.007>.

<https://www.ncbi.nlm.nih.gov/pubmed/28623110>

Ohnishi T., Kawano A., Araki M., Hamahata Y., Usui M., Shimoyamada M., Tamame T., Akashi M., Sato S. *Listeria monocytogenes* Meningitis Complicating Rotavirus Gastroenteritis in an Immunocompetent Child. *Keio J Med* 2017; 66(2): 25–28.

<doi:10.2302/kjm.2016-0007-CR>.

<https://www.ncbi.nlm.nih.gov/pubmed/28392538>

Sato M., Kubota N., Katsuyama Y., Suzuki Y., Miyairi Y., Minami K., Kasai M. Case report of a 6-year-old girl with *Mycoplasma hominis* ventriculoperitoneal shunt infection. *J Neurosurg Pediatr* 2017; 19(5): 620–624. <doi:10.3171/2017.1.PEDS16520>.

<https://www.ncbi.nlm.nih.gov/pubmed/28291426>

Seki Y., Onose A., Sugaya N. Influenza vaccine effectiveness in adults based on the rapid influenza diagnostic test results, during the 2015/16 season. *J Infect Chemother* 2017; 23(9): 615–620. <doi:10.1016/j.jiac.2017.06.004>.

<https://www.ncbi.nlm.nih.gov/pubmed/28668446>

Shinjoh M., Sakiyama Y., Sekiguchi S., Takahashi T. Successful discontinuation of immunoglobulin G replacement at age 10 in a patient with immunoglobulin G2 deficiency. *SAGE Open Med Case Rep* 2017; 52050313X17736421. <doi:10.1177/2050313X17736421>.

<https://www.ncbi.nlm.nih.gov/pubmed/29051818>

Shinjoh M., Yamaguchi Y., Iwata S. Pediatric bacterial meningitis in Japan, 2013–2015 – 3–5 years after the wide use of Haemophilus influenzae type b and Streptococcus pneumoniae conjugated vaccines. *J Infect Chemother* 2017; 23(7): 427–438.

<doi:10.1016/j.jiac.2017.02.014>.

<https://www.ncbi.nlm.nih.gov/pubmed/28456490>

Takesue Y., Kusachi S., Mikamo H., Sato J., Watanabe A., Kiyota H., Iwata S., Kaku M., Hanaki H., Sumiyama Y., Kitagawa Y., Mizuguchi T., Ambo Y., Konosu M., Ishibashi K., Matsuda A., Hase K., Harihara Y., Okabayashi K., Seki S., Hara T., Matsui K., Matsuo Y., Kobayashi M., Kubo S., Uchiyama K., Shimizu J., Kawabata R., Ohge H., Akagi S., Oka M., Wakatsuki T., Suzuki K., Okamoto K., Yanagihara K. Antimicrobial susceptibility of pathogens isolated from surgical site infections in Japan: Comparison of data from nationwide surveillance studies conducted in 2010 and 2014–2015. *Journal of Infection and Chemotherapy* 2017; 23(6): 339–348. <doi:10.1016/j.jiac.2017.03.010>.

<https://dx.doi.org/10.1016/j.jiac.2017.03.010>

Tetsuka N., Yaguchi T., Machida H., Ito S., Miyairi I. Invasive pulmonary aspergillosis due to azole-resistant *Aspergillus lentulus*. *Pediatr Int* 2017; 59(3): 362–363.

<doi:10.1111/ped.13193>.

<https://www.ncbi.nlm.nih.gov/pubmed/28317305>

Toyofuku M., Morozumi M., Hida M., Satoh Y., Sakata H., Shiro H., Ubukata K., Murata M., Iwata S. Effects of Intrapartum Antibiotic Prophylaxis on Neonatal Acquisition of Group B Streptococci. *J Pediatr* 2017; 190169–173 e161. <doi:10.1016/j.jpeds.2017.07.039>.

<https://www.ncbi.nlm.nih.gov/pubmed/29144242>

Trabanelli S., Chevalier M. F., Martinez–Usatorre A., Gomez–Cadena A., Salome B., Lecciso M., Salvestrini V., Verdeil G., Racle J., Papayannidis C., Morita H., Pizzitola I., Grandclement C., Bohner P., Bruni E., Girotra M., Pallavi R., Falvo P., Leibundgut E. O., Baerlocher G. M., Carlo–Stella C., Taurino D., Santoro A., Spinelli O., Rambaldi A., Giarin E., Basso G., Tresoldi C., Ciceri F., Gfeller D., Akdis C. A., Mazzarella L., Minucci S., Pelicci P. G., Marcenaro E., McKenzie A. N. J., Vanhecke D., Coukos G., Mavilio D., Curti A., Derre L., Jandus C. Tumour–derived PGD2 and NKp30–B7H6 engagement drives an immunosuppressive ILC2–MDSC axis. *Nat Commun* 2017; 8(1): 593. <doi:10.1038/s41467–017–00678–2>.

<https://www.ncbi.nlm.nih.gov/pubmed/28928446>

Uda K., Sasaki Y., Shoji K., Miyairi I. Pulmonary Calcification in a Congenital Cytomegalovirus Infection. *J Pediatr* 2017; 190:286–286 e281. <doi:10.1016/j.jpeds.2017.07.024>.

<https://www.ncbi.nlm.nih.gov/pubmed/28807358>

Uwamino Y., Sugita K., Hasegawa N., Nishimura T., Fujiwara H., Iwata S. Rapid Detection and Typing of Carbapenemase Genes from Carbapenem–Resistant Enterobacteriaceae Isolates Collected in a Japanese Hospital Using the Xpert Carba–R Assay. *Japanese Journal of Infectious Diseases* 2017; 70(1): 124–125. <doi:10.7883/yoken.jjid.2015.660>.

<https://dx.doi.org/10.7883/yoken.jjid.2015.660>

Watanabe S., Ohnishi T., Yuasa A., Kiyota H., Iwata S., Kaku M., Watanabe A., Sato J., Hanaki H., Manabe M., Suzuki T., Otsuka F., Aihara M., Iozumi K., Tamaki T., Funada Y., Shinozaki M., Kobayashi M., Okuda M., Kikyo G., Kikuchi K., Okada Y., Takeshima M., Kaneko O., Ogawa N., Ito R., Okuyama R., Shimada S., Shimizu T., Hatta N., Manabu M., Tsutsui K., Tanaka T., Miyachi Y., Asada H., Furukawa F., Kurokawa I., Iwatsuki K., Hide M., Muto M., Yamamoto O., Niihara H., Takagaki K., Kubota Y., Sayama K., Sano S., Furue M., Kanekura T. The first nationwide surveillance of antibacterial susceptibility patterns of pathogens isolated from skin and soft–tissue infections in dermatology departments in Japan. *J Infect Chemother* 2017; 23(8): 503–511. <doi:10.1016/j.jiac.2017.05.006>.

<https://www.ncbi.nlm.nih.gov/pubmed/28645883>

Yamada M., Nowalk A. J. Two sides of the Epstein–Barr virus (EBV) coin: Long–term control of EBV after liver transplantation? *Pediatr Transplant* 2017; 21(5). <doi:10.1111/petr.12943>.

<https://www.ncbi.nlm.nih.gov/pubmed/28544040>

Yanagihara K., Watanabe A., Aoki N., Matsumoto T., Yoshida M., Sato J., Wakamura T., Sunakawa K., Kadota J., Kiyota H., Iwata S., Kaku M., Hanaki H., Ohsaki Y., Fujiuchi S., Takahashi M., Takeuchi K., Takeda H., Ikeda H., Miki M., Nakanowatari S., Takahashi H., Utagawa M., Nishiya H., Kawakami S., Morino E., Takasaki J., Mezaki K., Chonabayashi N., Tanaka C., Sugiura H., Goto H., Saraya T., Kurai D., Katono Y., Inose R., Niki Y., Takuma T., Kudo M., Ehara S., Sato Y., Tsukada H., Watabe N., Honma Y., Mikamo H., Yamagishi Y., Nakamura A., Ohashi M., Seki M., Hamaguchi S., Toyokawa M., Fujikawa Y., Mitsuno N., Ukimura A., Miyara T., Nakamura T., Mikasa K., Kasahara K., Ui K., Fukuda S., Nakamura A., Morimura M., Yamashita M., Takesue Y., Wada Y., Sugimoto K., Kusano N., Nose M., Mihara E., Kuwabara M., Doi M., Watanabe Y., Tokuyasu H., Hino S., Negayama K., Mukae H., Kawanami T., Ota T., Fujita M., Honda J., Hiramatsu K., Aoki Y., Fukuoka M., Magarifuchi H., Nagasawa Z., Kaku N., Fujita J., Higa F., Tateyama M. Nationwide surveillance of bacterial respiratory pathogens conducted by the surveillance committee of Japanese Society of Chemotherapy, the Japanese Association for Infectious Diseases, and the Japanese Society for Clinical Microbiology in 2012: General view of the pathogens' antibacterial susceptibility. *J Infect Chemother* 2017; 23(9): 587-597.

<doi:10.1016/j.jiac.2017.05.010>.

<https://www.ncbi.nlm.nih.gov/pubmed/28669567>